

EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #1

CEREBRAL PALSY
IS THE MOST
COMMON
PHYSICAL
DISABILITY OF
CHILDHOOD



12
GUIDELINES



EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #2

ONLY 25% OF
INFANTS WITH
CEREBRAL PALSY
ARE DIAGNOSED
UNDER 6
MONTHS OF AGE



12
GUIDELINES



EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #3

THE AVERAGE
AGE OF
DIAGNOSIS FOR
CEREBRAL PALSY
IN AUSTRALIA IS
BETWEEN 12 AND
24 MONTHS OF
AGE

12
GUIDELINES



EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #4

MOST PARENTS
SUSPECT THE
DIAGNOSIS OF
CEREBRAL PALSY
BEFORE IT IS
FORMALLY GIVEN

12
GUIDELINES



EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #5

A DELAY IN THE
DIAGNOSIS OF
CEREBRAL PALSY
RESULTS IN DELAYED
ACCESS TO
INTERVENTION DURING
AN IMPORTANT TIME
OF BRAIN
DEVELOPMENT

12
GUIDELINES



EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #6

NEW CLINICAL
GUIDELINES ARE
CHANGING THE
STANDARD OF CARE
FOR CHILDREN WITH
CEREBRAL PALSY
AND THEIR FAMILIES
ACROSS AUSTRALIA

12
GUIDELINES



EARLY DIAGNOSIS CEREBRAL PALSY
QUICK FACT #7

NEW GUIDELINES
CONTAIN 12
RECOMMENDATIONS
FOR PRACTITIONERS
THAT SUPPORT THE
EARLY DETECTION
AND DIAGNOSIS OF
CEREBRAL PALSY

12
GUIDELINES

